



**(-W) WALL SUPPLY  
VIEW FROM BACK OF FIXTURE**

**FIXTURE SHOWN WITH OPTIONAL -MC MOUNTING CARRIER**

**INSTALLATION INSTRUCTIONS**  
A-ROUGH-IN FOR THE FOLLOWING.

- 5-1/2" RECESSED GASKET FLANGE (1).
- FLUSH VALVE INLET 1" NPT (2).
- FIXTURE FLUSHING INLET 1-1/2" NPT (15).

**B- FOR OPTIONAL 2898 FLUSH VALVE ACCESS PANEL (3):**  
FOR BACK SUPPLY FLUSH VALVES. SEE DRAWING #9908-399-001.

**C- FOR UNITS WITHOUT MOUNTING CARRIER.**  
ATTACH MOUNTING CHANNEL (8) (FIXTURE SIDE) OF REINFORCED WALL. POSITION MOUNTING CHANNEL (8) TO MATCH MOUNTING LOCATIONS SHOWN. WALL ANCHORS & FASTENERS ARE BY OTHERS.

**D- FOR UNITS WITH MOUNTING CARRIER.**  
INSTALL MOUNTING CARRIER (PLUMBING SIDE OF WALL) (4) TO FLOOR. ATTACH 1/2" UNC STUDS (5) TO CARRIER (4) USING NUTS (7) & WASHERS (6). ATTACH MOUNTING CHANNEL (8) (FIXTURE SIDE) OF WALL TO EXISTING 1/2" STUDS WITH NUTS (9) AND WASHERS (14). SEE DETAIL A-A.

- E- PLACE TOILET (10) UP AGAINST WALL. ATTACH TOILET HOUSING (10) TO MOUNTING CHANNEL (8) BY USING 1/4"-20 SCREWS (11) SEE DETAIL B-B.**
- F- REMOVE ACCESS PANEL (12) MAKE UP TOILET WASTE CONNECTION.**
- G- FOR OPTIONAL -FV FLUSH VALVE:**  
CONNECT FLUSH VALVE (13) AS REQUIRED FOR CONCEALED INSTALLATION PER MANUFACTURERS' RECOMMENDATIONS.

**NOTES:**  
**FOR SUFFIX OPTION -ADA UNITS, REFER TO ADA ACCESSIBILITY GUIDELINES FOR COMPLETE INSTALLATION REQUIREMENTS.**

- 1- ALL VERTICAL DIMENSIONS CHANGE ACCORDING TO ADDITIONAL SEAT HEIGHT FOR -ADA I.E. FOR 18" SEAT HEIGHT, -W FLUSHING INLET BECOMES 18-1/4".
- 2- FLUSH VALVE MUST BE HYDRAULICALLY ACTUATED OR SUPPLIED WITH AN -ADA HANDLE, MAX. CONTROL HEIGHT IS 44" ABOVE FINISHED FLOOR. CONTROLS MUST BE LOCATED ON WIDE SIDE OF TOILET.

### WALL SUPPLY, OFF-FLOOR, WALL OUTLET TOILET 8955-W-1

<p><b>NEO-METRO</b> P.O. BOX 3527 • CITY OF INDUSTRY, CA 91744 USA 800-591-9050 • 626-855-4854 • www.neo-metro.com</p>	<p><b>TITLE</b> WALL SUPPLY, SIPHON, OFF-FLOOR, WALL OUTLET TOILET - MODEL # 8955-W-1</p>		
<p><b>MANUFACTURE DATE</b></p> <p><b>JUNE 1999</b></p> <p><b>TO PRESENT</b></p>	<p><b>DATE ISSUED</b></p> <p><b>07/20/99</b></p>	<p><b>DRAWING NUMBER</b></p> <p><b>9935-030-001</b></p>	
	<p><b>DATE REVISED</b></p> <p><b>09/05/01</b></p>		