



REFERENCE DRAWINGS	
CONSOLE ASSY.	9935-198-001

### IMPORTANT:

GENERAL CARPENTRY SKILL AND KNOWLEDGE OF INDUSTRY STANDARDS ARE REQUIRED. PROPER INSTALLATION OF LAVATORY AND COMPLIANCE WITH CLEARANCE AND LOCAL CODE REQUIREMENTS ARE THE RESPONSIBILITY OF THE INSTALLER.



9110-RH Ebb CONSOLE (SHOWN)  
 9110-LH Ebb CONSOLE (OPPOSITE)

### ROUGH-INS

A- WASTE CONNECTION INSTALLER PROVIDED P-TRAP. FIXTURE INCLUDES 1-1/4"-27 UNI (1) CLOSE ELBOW WASTE OUTLET.

B- FOR DECK MOUNTED FAUCET LOCATE SUPPLY LINES WHERE INDICATED (2) ABOVE.

C- MAKE UP INSTALLER PROVIDED P-TRAP WASTE TO CLOSE ELBOW CONNECTION (1). FLUSH SUPPLY LINES (2) BEFORE CONNECTING SUPPLIES.

### INSTALLATION INSTRUCTIONS:

C- ASSEMBLE PEDESTAL WITH BASIN AND COUNTERTOP (3) PER DRAWING 9935-198-001.

D- POSITION EBB CONSOLE (3) IN DESIRED LOCATION AGAINST THE FINISHED WALL.

### NOTE:

FOR LIGHTING OR SENSOR OPTIONS: PROVIDE 120V/60HZ/3 AMP. (MAX) ELECTRICAL RECEPTACLE. RECEPTACLE MUST BE WIRED TO A G.F.I. PROTECTED CIRCUIT PER N.E.C. REFER TO LOCAL PLUMBING CODES FOR CONNECTIONS.

 WWW.NEO-METRO.COM	<b>TITLE</b> NEO-METRO #9110 Ebb CONSOLE ROUGH-IN INFORMATION		
	<b>MANUFACTURE DATE</b> MARCH 2006 PRESENT	<b>DATE ISSUED</b> 07/02/07	<b>DRAWING NUMBER</b> 9935-172-001
		<b>DATE REVISED</b> 12/02/10	