/#/#A	MODEL/OPTION # A TYPE and SIZE - Required Selection	
	WSW130	Hand Wash Trough, 1 User, 30" Wid
		Hand Wash Trough, 2 Users, 60" Wi
~	🔲 WSW390	Hand Wash Trough, 3 Users, 90" Wi
	🗋 WSW4120	Hand Wash Trough, 4 Users, 120" W
	→ B OPTIONAL FAUCETS: INIT.	
Patent D841785	-SW000-F50	H&C Wristblade Faucet With Gooseneck Spout
Model Shown: WSW130-F60	🛄 -SW000-F51	H&C Wristblade Faucet With Spout
30" Wide 1 Station Trough with Sensor Operated J-Spout	🔲 -SW000-F60	S/T Sensor Operated Faucet With J-Spout & Base Plate
	-SW000-F70	S/T Pushbutton Metering Faucet Wit Base Plate
	C ACCESSORIE	ES: INIT.
	SW000-PT	Daisy Strainer w/ 1-1/4" O.D. Tailpied and 1-1/2" O.D. Plastic P-Trap
	SW000-PTC	Daisy Strainer w/ 1-1/4" O.D. Tailpier and 1-1/2" O.D. Chrome Plated P-Tra
Model Shown: WSW260-F60	PS1000-PS	Pump Soap Dispenser
50" Wide 2 Station Trough with Sensor Operated J-Spout	PS1000-SSO	Sensor Operated Soap Dispenser
WALL MOUNTED STAINLESS STEEL BASINS, MULTIPLE LENGTHS	€ D ENVIRO-GLA	ZE [®] INIT.
WEDGE BASIN DESIGN REDUCES WET, SLIPPERY FLOORS	🖉 🗋 -EG	Enviro-Glaze [®] Color ugh
OPTIONS AND ACCESSORIES PROVIDE ALL-IN-ONE UNIT		//www.neo-metro.com/uploads/fileLibrary/AE- hart-high_6-09-14.pdf for available color
ADA COMPLIANT (AMERICANS WITH DISABILITIES ACT)		OPTIONS Optional Selection
CSA COMPLIANT (CANADIAN STANDARDS ASSOCIATION)		-ST700
CBC COMPLIANT (CALIFORNIA BUILDING CODE)	NOTE: Recommend One (1) Mixing Valve Per Station. Valve Specs: 4.5 GPM (17 LPM) @ 45 PSI (310 kPa)	
GREENGUARD GOLD CERTIFIED FOR LOW EMISSIONS		·
APPROVAL FOR MANUFACTURE	CREENCUARD Proceduce training and the converse training COLD	
Project Name:		

▲ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Tech Sheet: **TS - SS WEDGE** Page **1/3** New: **10/20/2023**



SS WEDGE Stainless Steel Trough

MEMBER OF

SS Wedge Trough Basins

NEO-METR

SS Wedge Wall Mounted Hand Wash Trough

Neo-Metro[®] by Acorn's Stainless Steel Wedge Hand-Wash Trough provides a durable, hand wash basin to serve one to four users. The design is perfect for high traffic restrooms and incorporates a Wedge basin to provide users with ample personal space while reducing wet, slippery floors. Its sleek appearance features a polished stainless steel finish with rounded corners and an Enclosure to conceal all plumbing and provide access for ease of service. The Wedge Trough is available with all the options needed for a complete unit. Fixture complies with ANSI, UFAS, CBC and ADA 2010 requirements for accessibility. (Compliance is subject to the interpretation and requirements of the local code authority.)

Troughs are wall mounted and available in several widths to accommodate one to four persons. Deck is pre-drilled at each station with (3) hole punching for a 4" Centerset for a Faucet (shipped loose) and includes a \emptyset 1-3/8" knockout for Soap Dispenser to be installed at a later date, if required. Mounting includes "S" clip brackets provided at each station and mounting points in housing for 1/4" hardware to be provided by others. Basin is formed to facilitate drainage and includes punching to accept a 1-1/2" Drain Assembly. Unit is fabricated from 16 gauge, type 304 stainless steel with exposed surfaces polished to a #4 satin finish.

Faucet selections are optionally available and include: Single Temp Battery Powered Sensor Operated Faucet with Stainless Steel "J" Spout and Deck Plate for 4" Centerset punching; Hot and Cold Gooseneck Spout with Wrist Blade Handles; Hot and Cold Sink Spout with Wrist Blade Handles; Single Temp Pushbutton Metering Spout and Deck Plate for 4" Centerset punching. Faucets are intended for 4" Centerset punching provided on Trough. All Faucets meet NSF and Lead-Free Standards and include a 0.5 GPM (1.9 LPM) Flow Control.

Soap Dispensers are optionally available and include a Top Fill, Hands Free, Sensor Operated design and Pump Soap Dispenser.

Enviro-Glaze[®] Powder Coated Color is optionally available to provide a functional alternative to stainless steel finish and is provided for Trough and Trap Cover.

Additional Accessories include a Daisy (Drain) Strainer with Tailpiece and a P-Trap Assembly made of Plastic or Chrome Plated Brass.




Model Shown: WSW390-F60 90" Wide 3 Station Trough with Sensor Operated J-Spout

Latest product information **www.neo-metro.com**

NEO-METRO® by ACORN® A Member of Morris Group International 15125 Proctor Avenue • City of Industry, CA 91746 USA TF 800.488.8999 • PH 626.366.4561

Tech Sheet: **TS - SS WEDGE** Page **2/3** New: **10/20/2023**



Latest product information www.neo-metro.com

NEO-METRO® by ACORN® A Member of Morris Group International 15125 Proctor Avenue • City of Industry, CA 91746 USA TF 800.488.8999 • PH 626.366.4561

Tech Sheet: **TS - SS WEDGE** Page **3/3** New: **10/20/2023**